

RESOLUTION NO. 9-2012

Offered by All of Council

A RESOLUTION AUTHORIZING THE PURCHASE OF A DUMP TRUCK UNDER THE STATE COOPERATIVE PURCHASING PROGRAM AND DECLARING AN EMERGENCY.

WHEREAS, the Service Director has received quotes for the purchase of a dump truck under the State Cooperative Purchasing Program; and

WHEREAS, this Council has reviewed and has approved the purchase of the vehicle in accordance with the quotes attached hereto as Exhibit "A"; and

WHEREAS, this Council wishes to authorize the Service Director to purchase the vehicle.

NOW, THEREFORE, BE IT RESOLVED by the Council of the Village of Richfield, Summit County, State of Ohio:

SECTION 1. That the Service Director be, and hereby is, authorized and directed to purchase a 2012 International 7400 dump truck through Miami Valley International under the State Cooperative Purchasing Program in accordance with Exhibit "A."

SECTION 2. That the purchase of the vehicle through the program is hereby authorized and at cost not to exceed \$150,000.

SECTION 3. This Resolution is hereby declared to be an emergency measure necessary for the immediate preservation of the public health, safety and welfare and for the further reason that it is immediately necessary in order to provide for a new dump truck for the efficient operation of the Service Department at the earliest possible time; wherefore, provided this Resolution receives the affirmative vote of two-thirds of the members of Council elected or appointed, it shall take effect immediately upon its passage and execution by the Mayor; otherwise, it shall take effect and be in force from and after the earliest period allowed by law.

PASSED: 2/7/12

Michael Uthoff  
President of Council

Robert Besterman  
Mayor

ATTEST:

Dated: 2/7/12

Carolyn E. Sullivan  
Clerk of Council  
{01183577 - 1}

**OHIO DEPARTMENT OF TRANSPORTATION**CENTRAL OFFICE • 1980 WEST BROAD STREET • COLUMBUS, OH 43223  
JOHN R. KASICH, GOVERNOR • JERRY WRAY, DIRECTOR

August 17, 2011

**RECEIVED**  
AUG 22 2011Miami Valley International Trucks Inc - Cincinnati, OH  
11775 Highway Drive  
Cincinnati, OH 45241  
Attn: Ron Huckery

Re: 023-12

Single &amp; Tandem Axle Cab and Chassis and Light Duty Chassis

Dear Vendor:

Your bid proposal as submitted has been accepted by the Ohio Department of Transportation.

This Invitation permits your company to provide Single & Tandem Axle Cab and Chassis and Light Duty Chassis. The contract will be in effect from October 1, 2011 to September 30, 2012 inclusive.

A purchase shall only take place upon the issuance of an official purchase order or the use of a payment card. Since this is a requirements contract, there is no guarantee that purchase orders will be issued or that products will be ordered against issued purchase orders.

Thank you for bidding on our invitation. Christina Lochbaum is available for any assistance necessary to ensure that a quality partnership exists between your company and our Department. If you have any questions, please call (614) 387-1250.

Respectfully,

A handwritten signature in black ink, appearing to read "D. W. Little".

Administrator  
Office of Contracts

GM:cs

c: file

**INTERNATIONAL®**EX-100  
December 14, 2011**Prepared For:**

Village of Richfield  
 Chuck Soulek  
 4410 W Streetsboro Rd.  
 Richfield, OH 44286-9308  
 (330)659 - 9201  
 Reference ID: N/A

**Presented By:**

Miami Valley Int'l Trucks  
 Henry W Gantner  
 11775 Highway Drive  
 Cincinnati OH 45241 -  
 (513)733-8500

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

**Model Profile**  
**2013 7400 SBA 4X2 (SA625)**

**APPLICATION:** Construction Dump  
**MISSION:** Requested GVWR: 39000. Calc. GVWR: 39000  
 Calc. Start / Grade Ability: 33.50% / 3.13% @ 55 MPH  
 Calc. Geared Speed: 63.5 MPH

**FUEL ECONOMY:** N/A

**DIMENSION:** Wheelbase: 154.00, CA: 86.90, Axle to Frame: 63.00

**ENGINE, DIESEL:** {MaxxForce 9} EPA 10, 315 HP @ 2000 RPM, 950 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed

**TRANSMISSION, AUTOMATIC:** {Allison 3000\_RDS\_P} 4th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.

**CLUTCH:** Omit Item (Clutch & Control)

**AXLE, FRONT NON-DRIVING:** {Dana Spicer I-160W} Wide Track, I-Beam Type, 16,000-lb Capacity

**AXLE, REAR, SINGLE:** {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, With 200 Wheel Ends Gear Ratio: 6.43

**CAB:** Conventional

**TIRE, FRONT:** (2) 315/80R22.5 UNISTEEL G291 (GOODYEAR) 491 rev/mile, load range J, 18 ply

**TIRE, REAR:** (4) 11R22.5 G622 RSD (GOODYEAR) 497 rev/mile, load range G, 14 ply

**SUSPENSION, RR, SPRING, SINGLE:** Vari-Rate, 31,000-lb Capacity, Includes 4500-lb Capacity Multileaf Auxiliary

**PAINT:** Cab schematic 100GN  
 Location 1: 2303, Red (Std)  
 Chassis schematic N/A

**INTERNATIONAL®**

**Vehicle Specifications**  
**2013 7400 SBA 4X2 (SA625)**

EX ~~December~~ **14, 2011**

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
SA62500	Base Chassis, Model 7400 SBA 4X2 with 154.00 Wheelbase, 86.90 CA, and 63.00 Axle to Frame.	6958/3442	10400	\$73,555.00
1570	TOW HOOK, FRONT (2) Frame Mounted	8/0	8	\$73.00
1CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL	136/341	477	\$665.00
1LLA	BUMPER, FRONT Steel, Swept Back	0/0	0	\$0.00
	<u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color			
1WGR	WHEELBASE RANGE 138" (350cm) Through and Including 187" (475cm)	0/0	0	\$0.00
2AEU	AXLE, FRONT NON-DRIVING {Dana Spicer I-160W} Wide Track, I-Beam Type, 16,000-lb Capacity	109/0	109	\$2,558.00
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.			
3ADE	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 16,000-lb Capacity; With Shock Absorbers	76/0	76	\$328.00
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free			
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.			
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	0/0	0	\$0.00
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : DUST SHIELDS, FRONT BRAKE : DUST SHIELDS, REAR BRAKE : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4			
	<u>Notes</u> : Rear Axle is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered.			

**INTERNATIONAL®****Vehicle Specifications  
2013 7400 SBA 4X2 (SA625)**

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
4193	BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers  <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	0/0	0	\$265.00
4619	TRAILER CONNECTIONS Four-Wheel, With Hand Control Valve and Tractor Protection Valve, for Straight Truck	2/0	2	\$317.00
4732	DRAIN VALVE {Berg} Manual; With Pull Chain, for Air Tank  <u>Includes</u> : DRAIN VALVE Mounted in Wet Tank	0/0	0	\$0.00
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	0/0	0	\$0.00
4EBS	AIR DRYER {Bendix AD-9} With Heater  <u>Includes</u> : AIR DRYER LOCATION Inside Left Rail, Back of Cab	0/0	0	\$445.00
4ETE	BRAKE CHAMBERS, FRONT AXLE {Haldex} 24 SqIn	4/0	4	\$13.00
4EVL	BRAKE CHAMBERS, REAR AXLE {Haldex GC3030LHDHO} 30/30 Spring Brake  <u>Includes</u> : BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb.	0/0	0	\$0.00
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake  <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	0/0	0	\$0.00
4SBC	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM Capacity	0/0	0	\$0.00
4VGN	AIR TANK Painted Aluminum, With Straight Thread O-Ring Ports	0/0	0	\$432.00
5708	STEERING COLUMN Tilting	10/0	10	\$125.00
5CAN	STEERING WHEEL 2-Spoke; 18" Diam., Black, Leather Wrapped	1/0	1	\$61.00
5PTB	STEERING GEAR (2) {Sheppard M-100/M-80} Dual Power	125/-6	119	\$0.00
7BEJ	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Outside Right Rail Under Cab; Includes Vertical Tail Pipe and Guard  <u>Includes</u> : EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height) : MUFFLER/TAIL PIPE GUARD Non-Bright Finish	7/-20	-13	\$738.00

**INTERNATIONAL®****Vehicle Specifications**  
**2013 7400 SBA 4X2 (SA625)**

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
7WBA	TAIL PIPE (1) Turnback Type, Bright, for Single Exhaust	0/0	0	\$94.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0	\$0.00
	<u>Includes</u>			
	: BATTERY BOX Steel with Plastic Lid			
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab			
	: FUSES, ELECTRICAL SAE Blade-Type			
	: HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover			
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever			
	: HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels			
	: HORN, ELECTRIC Single			
	: JUMP START STUD Located on Positive Terminal of Outermost Battery			
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light			
	: RUNNING LIGHT (2) Daytime, Included With Headlights			
	: STARTER SWITCH Electric, Key Operated			
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector			
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature			
	: TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted			
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever			
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted			
	: WIRING, CHASSIS Color Coded and Continuously Numbered			
8518	CIGAR LIGHTER Includes Ash Cup	1/0	1	\$18.00
8540	HORN, ELECTRIC (2)	2/0	2	\$20.00
8GHE	ALTERNATOR {Leece-Neville BLP2361H} Brushless, 12 Volt 185 Amp. Capacity, Pad Mounted, with Remote Voltage Sensor	-3/0	-3	\$352.00
8HAE	BODY BUILDER WIRING Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	0/3	3	\$209.00
8MKL	BATTERY SYSTEM {International} Maintenance-Free, (3) 12-Volt 1950CCA Total	40/15	55	\$103.00
8NAA	TAIL LIGHT WIRING MODIFIED Includes: Wiring for Standard Lt & Rt Tail Lights; Separate 8.0' of Extra Cable Wiring for Lt & Rt Body Mounted Tail Lights	0/2	2	\$43.00
8RGA	2-WAY RADIO Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab	1/0	1	\$68.00
8RKH	RADIO {International} AM/FM Premium Stereo, With CD Player, Weatherband, Clock, Front & Rear Aux Input, USB Port, and Multiple Speakers, Includes iPod Command and Control	2/0	2	\$483.00
	<u>Includes</u>			
	: SPEAKERS IN CAB (2) Coaxial with Deluxe Interior			

**INTERNATIONAL®****Vehicle Specifications  
2013 7400 SBA 4X2 (SA625)**

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
	: SPEAKERS IN CAB (4) Coaxial with Premium Interior			
8THB	BACK-UP ALARM Electric, 102 dBA	0/3	3	\$120.00
8THJ	AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	2/0	2	\$158.00
8TMG	TRAILER CONNECTION SOCKET 7-Way; Mounted at rear of Frame, Wired for Turn Signals Combined With Stop, Compatible With Trailers That Use Combined Stop, Tail, Turn Lamps	0/7	7	\$214.00
8TMJ	SWITCH, AUXILIARY Interrupter; for Cab and Body Clearance/ Marker Lights, Single Position Blinks Lights When Headlight Switch Is In "On" or "Off" Position	1/0	1	\$24.00
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated	0/0	0	\$48.00
8WML	HEADLIGHTS Long Life Halogen; for Two Light System	0/0	0	\$22.00
8WPP	ENGINE SHUTDOWN Automatic; With 30 Second Delay, With International Engines	1/0	1	\$147.00
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection	0/0	0	\$0.00
8WTP	COURTESY LIGHT (2) Mounted in Front Map Pocket Left and Right Side	1/0	1	\$48.00
	<u>Notes</u>			
	: Feature included with CAB INTERIOR TRIM, Premium			
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	1/0	1	\$0.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	0/0	0	\$99.00
9585	FENDER EXTENSIONS Rubber	6/0	6	\$104.00
9HBM	GRILLE Stationary, Chrome	0/0	0	\$0.00
9WAC	BUG SCREEN Front End; Mounted Behind Grille	5/0	5	\$131.00
9WBC	FRONT END Tilting, Fiberglass, With Three Piece Construction; for 2007 & 2010 Emissions	0/0	0	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	0/0	0	\$0.00
	<u>Includes</u>			
	: PAINT SCHEMATIC ID LETTERS "GN"			
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0	\$0.00
11001	CLUTCH Omit Item (Clutch & Control)	-62/-13	-75	\$0.00
12712	OIL FILTER, ENGINE {Hudgins Model 960 Spinner}	26/-1	25	\$0.00
12926	RADIATOR HOSES Silicone; Molded	0/0	0	\$272.00
12NUV	ENGINE, DIESEL {MaxxForce 9} EPA 10, 315 HP @ 2000 RPM, 950 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed	51/2	53	\$1,410.00
	<u>Includes</u>			
	: AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated (Air Brake Chassis Only)			

**INTERNATIONAL®**

**Vehicle Specifications**  
**2013 7400 SBA 4X2 (SA625)**

EXHIBIT A

December 14, 2011

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
	: ANTI-FREEZE Red Shell Rotella Extended Life Coolant; -40 Degrees F/ -40 Degrees C; for MaxxFace Engines : COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE OIL DRAIN PLUG Magnetic : ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly; With Water-in-Fuel Sensor; Engine Mounted : GOVERNOR Electronic : OIL FILTER, ENGINE Spin-On Type : WET TYPE CYLINDER SLEEVES			
12THZ	FAN DRIVE {Horton Drivemaster Polar Extreme} Direct Drive Type, Two Speed, With Residual Torque Device for Disengaged Fan Speed  <u>Includes</u> : FAN Nylon	48/5	43	\$503.00
12UAS	RADIATOR Aluminum, Cross Flow, Series System; 1228 SqIn Core and 648 SqIn Charge Air Cooler and 342 SqIn Low Temperature Radiator  <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	0/0	0	\$0.00
12UXE	FEDERAL EMISSIONS for 2010; MaxxFace 9 & 10 Engines	0/0	0	\$6,000.00
12VAG	AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control  <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	2/0	2	\$157.00
12VXU	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Stationary Pre-Set, Two Speed Settings; Mounted on Steering Wheel	0/0	0	\$0.00
12VZA	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for MaxxFace post 2007 Emissions Electronic Engines	0/0	0	\$45.00
12WTH	BLOCK HEATER, ENGINE {Phillips} 120 Volt/1250 Watt; With "Y" Cord From Socket in Standard Location, For a Dealer Installed Oil Pan Heater, With Extended Life Coated Metal/Plastic/Metal Material Oil Pan, for I6  <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	4/0	4	\$92.00

Notes



**INTERNATIONAL®****Vehicle Specifications  
2013 7400 SBA 4X2 (SA625)**

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
	: MPM material is single sheet composite with two layers of sheet metal sandwiching plastic material. MPM material has electro-deposition prime coat with powder coating for the final finish coat.			
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Regulations	0/0	0	\$0.00
13AMB	TRANSMISSION, AUTOMATIC {Allison 3000_RDS_P} 4th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.  <u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan	190/62	252	\$6,917.00
13WAW	OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil, for Allison or CEEMAT Transmission	25/0	25	\$667.00
13WBN	TRANSMISSION SHIFT CONTROL {Allison} T-Bar Type; for Allison 3000 & 4000 Transmission	0/0	0	\$371.00
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	0/0	0	\$203.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	0/0	0	\$0.00
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab	0/0	0	\$141.00
13WYL	SHIFT CONTROL PARAMETERS Allison Performance Programming in Primary and Allison Economy Programming in Secondary	0/0	0	\$0.00
14051	AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, With 200 Wheel Ends . Gear Ratio: 6.43  <u>Includes</u> : REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle  <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	0/227	227	\$1,236.00
14881	DIFFERENTIAL, LOCKING {Detroit Locker} No-Spin; for Meritor Rear Axles; Not With Meritor 185 & 186 Family of Axles	0/0	0	\$1,087.00
14SAL	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 31,000-lb Capacity, Includes 4500-lb Capacity Multileaf Auxiliary  <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	0/88	88	\$305.00
15LKG	FUEL/WATER SEPARATOR With Thermostatic Fuel Temperature Controlled Electric Heater, and Filter Restriction/ Change Indicator, Includes Standard Equipment Water-in-Fuel Sensor	5/0	5	\$64.00

**INTERNATIONAL®****Vehicle Specifications  
2013 7400 SBA 4X2 (SA625)**

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
15SGG	FUEL TANK Top Draw; D Style, Non Polished Aluminum, 19" Deep, 70 U.S. Gal., 265 L Capacity, With Quick Connect Outlet, Mounted Left Side, Under Cab	-31/-15	-46	\$185.00
16030	CAB Conventional  <u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps Per Door	0/0	0	\$0.00
16975	HEATER HOSES Silicone	0/0	0	\$78.00
16HBA	GAUGE CLUSTER English With English Electronic Speedometer  <u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	0/0	0	\$0.00
16HGH	GAUGE, OIL TEMP, ALLISON TRAN	1/0	1	\$48.00
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} With Black Bezel Mounted in Instrument Panel	2/0	2	\$30.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0	\$0.00
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, With 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust  <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	26/13	39	\$116.00
16PJH	SEAT, PASSENGER {Gra-Mag} Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl  <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	0/0	0	\$288.00

**INTERNATIONAL®****Vehicle Specifications  
2013 7400 SBA 4X2 (SA625)**

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
16SDU	MIRRORS (2) {Lang Mekra} Styled; Rectangular, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostatically Controlled, Power Both Sides, Clearance Lights LED, Bright Finish Heads & Brackets	8/0	8	\$443.00
16SEE	GRAB HANDLE Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar	3/0	3	\$118.00
16SJX	MIRROR, CONVEX, HOOD MOUNTED (2) {Lang Mekra} Bright, Heated, Left and Right Sides 7.44" Sq	9/0	9	\$337.00
16VSL	WINDSHIELD Heated, Single Piece	0/0	0	\$632.00
16WBY	ARM REST, RIGHT, DRIVER SEAT	3/0	3	\$39.00
16WCT	AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster	42/5	47	\$823.00
	<u>Includes</u>			
	: HEATER HOSES Premium			
	: HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps			
	: REFRIGERANT Hydrofluorocarbon HFC-134A			
16WEE	CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator	12/0	12	\$90.00
	<u>Notes</u>			
	: Feature included with CAB INTERIOR TRIM, Premium			
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	0/0	0	\$0.00
16WJU	WINDOW, POWER (2) And Power Door Locks, Left and Right Doors, Includes Express Down Feature	5/0	5	\$367.00
16WKY	HVAC FRESH AIR FILTER	0/0	0	\$0.00
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door	1/0	1	\$25.00
16WRX	CAB INTERIOR TRIM Deluxe	0/0	0	\$0.00
	<u>Includes</u>			
	: "A" PILLAR COVER Molded Plastic			
	: CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering			
	: CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket			
	: DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors			
	: FLOOR COVERING Rubber, Black			
	: HEADLINER Soft Padded Cloth			
	: INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section			
	: STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door			
	: SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console			
16WSK	CAB REAR SUSPENSION Air Bag Type	0/0	0	\$0.00
16XWJ	WINDSHIELD WIPER BLADES Snow Type	2/0	2	\$26.00

**INTERNATIONAL®****Vehicle Specifications  
2013 7400 SBA 4X2 (SA625)**

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (USA DOLLAR)
16XXC	COWL TRAY LID	7/4	11	\$200.00
27DMY	WHEELS, FRONT DISC; 22.5" Non-Polished Aluminum, 10- Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 9.00 DC Rims; With Steel Hubs	-42/0	-42	\$621.00
	<u>Notes</u> : Aluminum Wheels not Painted or Coated : Compatible Tire Sizes: 12R22.5, 295/75R22.5, 295/80R22.5, 315/80R22.5			
28DMB	WHEELS, REAR DUAL DISC; 22.5" Non-Polished Aluminum, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs	0/-140	-140	\$1,040.00
	<u>Notes</u> : Aluminum Wheels not Painted or Coated : Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5			
7372138102	(4) TIRE, REAR 11R22.5 G622 RSD (GOODYEAR) 497 rev/ mile, load range G, 14 ply	0/36	36	\$164.00
7702540190	(2) TIRE, FRONT 315/80R22.5 UNISTEEL G291 (GOODYEAR) 491 rev/mile, load range J, 18 ply	48/0	48	\$900.00
	<b>Total of Product Features</b>			<b>\$108,120.00</b>
	Cab schematic 100GN Location 1: 2303, Red (Std)			
	Chassis schematic N/A			
	<b>Total Component Weight:</b>	<b>7881/4050</b>	<b>11931</b>	
	<b>Total List Price Including Options:</b>			<b>\$108,120.00</b>

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

**INTERNATIONAL®****Electronic Parameters Summary**  
**2013 7400 SBA 4X2 (SA625)****ENGINE, DIESEL (0012NUV)**  
**ATTACHMENTS: 0004619 (TRAILER CONNECTIONS)**

<u>Parameter</u>	<u>Value</u>	<u>UOM</u>
Max Vehicle Speed:7902	64	MPH
Max Eng Speed w/Speed Fault:7901	2200	N/A
IDLE Shutdown Timer Mode:7400	OFF	N/A
IDLE Shutdown Time:7401	5	MIN
ISD - Max Intake Air Temp:7402	44	C
Cruise Control - MIN Veh SP:7603	35	MPH
Cruise Control - MAX Speed:7604	63	MPH
Service Interval - Enable:9500	OFF	N/A
Service Interval - Distance:9503	12000	MILES
Service Interval - Run Time:9502	450.0	HOURS
Service Interval - Fuel Used:9501	1500	GALLONS
PTO - Max Vehicle Speed:7501	5	MPH
PTO - Vehicle Speed Override:7518	AFFCTRPS	N/A
PTO - Max Engine Speed:7508	2000	RPM
PTO - Ramp Rate:7507	100	RPM/SEC
PTO - Preset 1:7505	1000	RPM
PTO - Preset 2:7506	1500	RPM
PTO - Driveline Mode:9301	NEUTRLOP	N/A
Remote Pedal - Enable:7504	NO	N/A
Remote Pedal - Return To 0 Req:7513	RTZ-NOT	N/A
Remote Pedal - IN-CAB override:7523	AFFCTRPS	N/A
Remote Pedal - Driveline OVRD:7522	AFFCTRPS	N/A
Customer Password:8700	0000	N/A

These Electronic Parameters have been successfully finalized

**INTERNATIONAL®**

**Financial Summary**  
2013 7400 SBA 4X2 (SA625)

<u>Description</u>	<u>(USA DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$108,120.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$108,120.00
SPECIAL P&D - CCI (AKRON)	\$0.00	
84 - month 100,000 mile extended warranty contract	\$4,749.00	
#214473 \$3660.00 & 213267 \$1089.00		
Total Preparation And Delivery:		\$4,749.00
Freight	\$1,875.00	
Total Freight:		\$1,875.00
Total Factory List Price Including Freight:		\$114,744.00
Less Customer Allowance:		(\$31,503.00)
Total Vehicle Price:		\$83,241.00
Total Sale Price:		\$83,241.00
Total Per Vehicle Sales Price:		\$83,241.00
Net Sales Price:		\$83,241.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

\_\_\_\_\_  
Official Title and Date

*Village of Richfield*  
\_\_\_\_\_  
Firm or Business Name

\_\_\_\_\_  
Authorized Signature

\_\_\_\_\_  
Authorized Signature and Date

**This proposal is not binding upon the seller without Seller's Authorized Signature**

\_\_\_\_\_  
Official Title and Date